

UNITED STATES PATENT AND TRADEMARK OFFICE

W J

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/510,599	03/18/2005		Michel Lecomte	20513-00607-US	1793
30678	7590	10/30/2006		EXAMINER	
CONNOLI	LY BOV	E LODGE & HUTZ	MONDT, JOHANNES P		
	P.O. BOX 2207 WILMINGTON, DE 19899-2207		- 4	ART UNIT PAPER NUMBER	
	,		•	3663	

DATE MAILED: 10/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
•	10/510,599	LECOMTE, MICHEL	
Office Action Summary	Examiner	Art Unit	
	Johannes P. Mondt	3663	
The MAILING DATE of this communication ap			
Period for Reply		•	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	PATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
 1) Responsive to communication(s) filed on 15 S 2a) This action is FINAL. 2b) This 3) Since this application is in condition for alloward closed in accordance with the practice under B 	s action is non-final. nce except for formal matters, pro	•	
Disposition of Claims			
4) Claim(s) 1-14 is/are pending in the application 4a) Of the above claim(s) 2-10 and 12-14 is/ar 5) Claim(s) is/are allowed. 6) Claim(s) 5 and 11 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) according to a positive pending in the application and 12-14 is/are pending in the application and 12-14 is/are pending is/are application and 12-14 is/are pending in the application application is/are pending in the application application 4a)	e withdrawn from consideration. or election requirement.	≅xaminer	
Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority document 2. ☐ Certified copies of the priority document 3. ☐ Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage	
Attachment(s)	. M		
1) \(\times \) Notice of References Cited (PTO-892) 2) \(\times \) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) \(\times \) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date \(\frac{10/12/04}{2} \).	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te	

Art Unit: 3663

DETAILED ACTION

With reference to the Interview Summary herewith enclosed, the office action mailed 10/10/06 is herewith withdrawn and replaced by the following office action (in the withdrawn office action, counter to indication on PTO-326 and heading, the claims examined should have been indicated to be claims 5 and 11, with apologies by the examiner).

Election/Restrictions

1. Claims 1-4, 6-10 and 12-14 have been withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected method invention (claims 1-4) and non-elected Species (according to statement made by applicant in compliance with election-of-species requirement, that elected Species 1 is readable, in addition the independent claim 5 (the latter is examiner's assumption which he subsequently verified), on claims 11, 13 and 14 only, Species A, readable on claims 5-14, Species a readable on claims 5-14, Species β readable on claims 5-14 Species (i) readable on claims 5-14, Species H1 readable on claims 5-14, and Species N1 readable on claims 5-12), there being no allowable generic or linking claim. Election was made without traverse in the reply filed on 5/9/06 with follow-up after notification of nonresponsive, filed 9/15/06.

Information Disclosure Statement

The examiner has considered the items listed in the Information Disclosure Statement filed 10/12/04. A signed copy of Substitute Form PTO-1449 is herewith enclosed.

Art Unit: 3663

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 5 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Griebentrog et al (GB 2 050 679 A) (see IDS filed 10/12/04) in view of Nathenson et al (4,842,054).

Griebentrog et al teach (Figures 1 and 3) a device capable of producing electricity from the heat produced in the core (within 1) of at least one high-temperature nuclear reactor 1 comprising a primary circuit (i.e., closed circuit through 1 and 6, see page 3, lines 22-23) in which there circulates a first heat-exchange gas (helium gas, see page 3, 1. 22) capable of cooling said core of said high-temperature reactor (examiner takes official notice heat is inherently produced in the core of any nuclear reactor, and that removal of heat in the high-temperature reactor, - as is evidently effected by said close circuit from the fact that said closed circuit runs through the high-temperature reactor (loc.cit.)), said primary (closed) circuit cools the core through thermal diffusivity), a gas turbine 8 coupled to an electric generator 9 via a shaft (see Figure 1) (see page 3, 1. 42-46) and a secondary circuit (page 3, 1. 23-25; through duct 7) capable of circulating a second heat exchange gas ("compressed gas" thereof, see page 3, 1. 23-25) on which the gas turbine is inserted (see Figure 1), characterized in that it also comprises at least one intermediate heat exchanger 6 having a primary portion connected to the primary

circuit of the high-temperature nuclear reactor 1 (page 3, I. 22-30 and Figure 1) and a second portion to the secondary circuit (heat exchanger 6 overlaps both with 1 and the outside of 1 while being connected through duct 7; see Figure 1) and inherently *capable* of heating the second exchange gas on the basis of the heat produced in the reactor core and transported by the first heat exchange gas (namely: when conditions on the outside of 1 are lower than on the inside, which is generally true in operation). The intermediate heat exchanger 6 and the gas turbine 2 have characteristics adapted to the use of helium as first heat-exchange gas (as mentioned above, the first heat exchange gas *is helium*) and of a mixture of helium and nitrogen (N₂) as second heat-exchange gas (page 2, I. 48-55).

Griebentrog et al do not necessarily teach the further limitations of (a) "a tertiary circuit for circulation of water and steam on which is disposed at least one steam generator and at least one steam turbine" such that said steam generator comprises (b) "a secondary portion connected to the tertiary steam and steam circuit to receive water at the inlet and to provide steam at the outlet to the steam turbine and a primary portion connected to the secondary circuit to receive the second exchange gas after it issues from the gas turbine".

However, it would have been obvious to include said further limitations in view of Nathenson et al, who, in a patent on high temperature nuclear reactor heat production with two high-temperature heat exchange circuits 14 and 20 (title, abstract and col. 5, I. 59 – col. 6, I. 2 and col. 2, I. 57-62), hence analogous art, teaches a final steam loop 34 (col. 6, I. 17-25) meeting the limitation ad (a) above, i.e., "tertiary circuit", capable of

"circulating water and steam" on which is disposed at least one steam generator 24 and at least one steam turbine 26 (col. 6, I. 17-25), while combination of the teaching by Nathenson et al with the invention by Griepentrob et al implies limitation ad (b) above, i.e., "a secondary portion connected to the tertiary steam and steam circuit to receive water at the inlet and to provide steam at the outlet to the steam turbine (means: condenser 30; loc.cit.) and a primary portion heat exchanger enabling the steam generator 24; cf. Figure 1 and loc.cit.) connected to the secondary circuit to receive the second exchange gas after it issues from the gas turbine".

Motivation to include the teaching by Nathenson et al in the device by Griepentrob et al derives from the teaching of the improvement of the electrical efficiency of a further reduction of the temperature (col. 2, I. 62-64) and, furthermore, in the less demanding mechanical design parameters at reduced operating temperature (col. 2, I. 64-66). Finally, the introduction of the tertiary circuit enables a transformation of the usable energy in its most conventional form of steam thus being able to drive conventional generators of electricity.

Finally, the claim language is replete with instances referring to function, e.g., "for producing" (line 1), "for circulation" (line 4) and "for circulation" (line 9), "to receive water" and "to provide steam" (both lines 13). Applicant is reminded that intended use and other types of functional language must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the

intended use, then it meets the claim. In re Casey,152 USPQ 235 (CCPA 1967); In re Otto , 136 USPQ 458, 459 (CCPA 1963).

Page 6

On claim 11: in the combined invention the device comprises a moderate temperature heat exchanger (comprising and enabling steam generator 24 in Nathenson et al, Figure 1) (moderate for its temperature is lower than that in heat exchanger 6 in Griepentrob et al) having a first portion connected to secondary circuit (which in Nathenson et al is circuit of intermediate loop 20 (Figure 1)) that can be (and is) used for circulation of the second exchange fluid in the moderate temperature heat exchanger (6 in Griepentrob et al, 16 in Nathenson et al (col. 5, I. 61 and Figure 1), and a secondary portion in which there circulates a liquid such as water (water is input into the steam generator) that may be used in an auxiliary installation such as an urban heating circuit or seawater desalination plant.

In reference to the claim language referring to "can be used" and "may be used" (in italics for clarity above), intended use and other types of functional language must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In re Casey,152 USPQ 235 (CCPA 1967); In re Otto, 136 USPQ 458, 459 (CCPA 1963). In the underlying case, said secondary circuit is actually used for the claimed purpose and a forteriori is capable of being used in that manner, while electricity from steam of capable of being used for any variety of purposes, the limitation thus clearly being without any patentable weight.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Schmitt et al (4,761,260).

Koutz (4,576,783) (previously made of record).

Kapich (4,413,348) (previously made of record).

Sawle (3,218,802) (see IDS filed 10/12/04).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Johannes P. Mondt whose telephone number is 571-272-1919. The examiner can normally be reached on 8:00 - 18:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack W. Keith can be reached on 571-272-6878. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/510,599

Art Unit: 3663

Page 8

JPM September 30, 2006

Patent Examiner:

Johannes Mondt (Art Unit: 3663)